

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Single-gang cover – 2¼" internal depth (aluminum)					
CKSUV	Small vertical cover universal Code Keeper accommodates duplex, GFCI, single receptacle and toggle switch – lockable	MX4280SCN	–	–	WP3110MXD
Single-gang cover – 3¼" internal depth (aluminum)					
CKMU	Medium horizontal cover universal Code Keeper accommodates duplex, GFCI, single receptacle and toggle switch – lockable	MX3300CN/MX4380SCN	–	–	WP1010HMXD
CKMUV	Medium vertical cover universal Code Keeper accommodates duplex, GFCI, single receptacle and toggle switch – lockable	MX3200CN/MX4280SCN	–	–	WP1010MXD
Single-gang cover – 4¾" internal depth (aluminum)					
CKLSVU	Large vertical cover – box mount universal Code Keeper with adapter rings to accommodate 1 ¹⁹ / ₃₂ " and 1 ³ / ₄ " single receptacles – lockable	MX5280SCN	–	–	WP1250MVXD
Two-gang cover – 4¼" internal depth (aluminum)					
2CKU	Regular cover universal code keeper accommodates various configurations – lockable	MX6200CN/ MX7280SCN	–	–	WP1250MXD
CKPS-C-CN	Single-gang shallow – vertical or horizontal	–	–	TP7495 1 GANG	WP3100C/ WP3103C/ WP5000C
CKPS-G-CN	Single-gang shallow – vertical or horizontal	ML450GCN/ ML500G	–	TP7488	WP5000G
CKPS-W-CN	Single-gang shallow – vertical or horizontal	ML450WCN/ ML500W	–	TP7488W	WP5000W
CKPS-BR-CN	Single-gang shallow – vertical or horizontal	ML450ZCN/ ML500Z	–	–	WP5000BR
CKPM-C-CN	Single-gang medium – vertical or horizontal	MM420C/ MM410CACN	–	TP7490	WP1110C/ WP5110C
CKPM-G-CN	Single-gang medium – vertical or horizontal	MM420G/ MM410GCN	–	TP7491	WP1110GC/ WP5110G
CKPM-W-CN	Single-gang medium – vertical or horizontal	MM420W/ MM420W	–	TP7491W	WP1110WC/ WP5110W
CKPM-BR-CN	Single-gang medium – vertical or horizontal	MM410WCN	–	–	WP5110BR
CKPL-C-CN	Single-gang large – vertical or horizontal	MM710CCN/ MM720C	–	–	WP1150C
2CKPM-C-CN	Two-gang medium	MM2410CCN/ MM2420C	–	TP7495 2 GANG	WP1020C/ WP5225C
2CKPM-G-CN	Two-gang medium	MM2410GCN/ MM2420G	–	TP7489	WP1020GC/ WP5225G
2CKPM-W-CN	Two-gang medium	–	–	TP7489W	WP1020WC/ WP5225W
2CKPM-BR-CN	Two-gang medium	–	–	–	WP5225BR
2CKPL-C-CN	Two-gang large	MM7440CCN	–	–	WP1050
FS boxes – 1½" deep (cast aluminum)					
CIFS-1G-1/2	1 x ½	FS-1	–	FSM1	–
CIFS-1G-3/4	1 x ¾	FS-2	–	FSM2	–
CIFS-1G-1	1 x 1	FS-3	–	FSM3	–
CIFS-2G-1/2	1 x ½	2FS-1	–	FS12	–
CIFS-2G-3/4	1 x ¾	2FS-2	–	FS22	–
CIFS-2G-1	1 x 1	2FS-3	–	FS32	–
CIFS-3G-1/2	1 x ½	3FS-P1	–	–	–
CIFS-3G-3/4	1 x ¾	3FS-P2	–	FS23	–

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	EATON Crouse-Hinds		
			RAB	Cooper Industries	Intermatic
347 Volt FS box kits – 1$\frac{1}{8}$" deep (cast aluminum)					
CIFS-1G-1/2-HV	1 x $\frac{1}{2}$	-	-	-	-
CIFS-1G-3/4-HV	1 x $\frac{3}{4}$	-	-	-	-
FS boxes – 1$\frac{1}{8}$" deep (cast aluminum)					
CIFSC-1G-1/2	2 x $\frac{1}{2}$	FSC-1	-	FSCM1	-
CIFSC-1G-3/4	2 x $\frac{3}{4}$	FSC-2	-	FSCM2	-
CIFSC-1G-1	2 x 1	FSC-3	-	FSCM3	-
CIFSC-2G-1/2	2 x $\frac{1}{2}$	2FSC-1	-	FSC12	-
CIFSC-2G-3/4	2 x $\frac{3}{4}$	2FSC-2	-	FSC222	-
CIFSC-2G-1	2 x 1	-	-	FSC32	-
CIFSC-3G-3/4	2 x $\frac{3}{4}$	-	-	-	-
FSCC boxes – 1$\frac{1}{8}$" deep (cast aluminum)					
CIFSCC-1G-1/2	3 x $\frac{1}{2}$	FSCC-1	-	-	-
CIFSCC-1G-3/4	3 x $\frac{3}{4}$	FSCC-2	-	-	-
FDC boxes – 2$\frac{1}{2}$" deep (cast aluminum)					
CIFDC-1/2	2 x $\frac{1}{2}$	FDC-1	-	FDM1	-
CIFDC-3/4	2 x $\frac{3}{4}$	FDC-2	-	FDM2	-
CIFDC-1	2 x 1	FDC-3	-	FDM3	-
Universal FSU boxes – 2$\frac{1}{2}$" deep (cast aluminum)					
CIFSU-1/2	2 x $\frac{1}{2}$	-	-	-	-
CIFSU-3/4	2 x $\frac{3}{4}$	-	-	-	-
FSF box – 3" deep (cast aluminum)					
CIFSF	2	-	-	-	-
FST box – 3$\frac{1}{2}$" deep (cast aluminum)					
CIFST	2	-	-	-	-
Single-gang horizontal covers (cast aluminum)					
CCD-FS	Grey – box mount (zinc)	5094-0	C01	TP7206	-
CFSH-G	One GFCI receptacle – box mount	5102-0	-	TP7236	-
CWPDR	One duplex receptacle – device mount	5094-0	-	TP7232	-
CWPDR-FS	One duplex receptacle – box mount	5094-0	-	TP7232	-
Single-gang vertical covers (cast aluminum)					
CFSDR	One duplex receptacle – box mount	5147-0	-	TP7199	-
CFSR-G	One GFCI receptacle – box mount	5104-0	-	TP7240	-
CWPV-G	One GFCI receptacle – device mount	5104-0	-	TP7240	-
Single-gang switch covers (cast aluminum)					
CFST	One plunger – box mount	FST	-	TP7256	-
CFSTF	One lever switch – box mount	FZ8648	-	-	-
Single-gang blank covers (cast aluminum)					
CCB	Grey – device mount (stamped aluminum)	5173-0/ 1FBC	FS-C	TP7292	-
CCB-FS	Grey – box mount (stamped aluminum)	5174-0/ FSBC	-	FBCM1/FBCA1	-
CFSB	Blank – box mount	5174-0/ FSBC	-	FBCM1/FBCA1	-
CIFS-100G	Blank – box mount (gasket glued on cover)	-	-	FBCM1/FBCA1	-
Single-gang vertical covers (cast aluminum)					
CFSR-L	Single receptacle – box mount	FCLG	-	TP7214	-
CFSR-S	Single receptacle – box mount	FCLR	-	-	-
CFSR-X	Single receptacle – box mount	FCLM	-	-	-
CFSR-XL	Single receptacle – box mount	FCLN	-	-	-
CFSR-Y	Single receptacle – box mount	FCLM	-	-	-

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	EATON Crouse-Hinds		
			RAB	Cooper Industries	Intermatic
Two-gang (cast aluminum)					
2CWPDR	Two duplex receptacles – device mount	5032-0	–	TP7220	–
2CWPR-M	Single receptacle – hole – device mount	–	–	–	–
2CFSR-M	Single receptacle – hole – box mount	–	–	–	–
2CFST	Plunger style cover	2FST	–	DS1282	–
2CCB	Grey – device mount (stamped aluminum)	5175-0/2FBC	FS-2C	S1002G SA	–
2CFSB	Blank cover – box mount	2FSBC	–	S1002	–
Single-gang (cast aluminum)					
CDR	One duplex receptacle – box mount	1FAC	–	RCS1	–
CTS	One switch receptacle – box mount	1FTC	–	SWCS1	–
Single-gang FS covers (stamped aluminum)					
CIFS-4	Blank – single gang – box mount	FSBC	–	FBCS1	–
CIFS-5	15 A single receptacle – box mount	–	–	–	–
CIFS-6	One duplex receptacle – box mount	1FAC	–	RCM1	–
CIFS-7	20 A single locking receptacle – box mount	–	–	–	–
CIFS-9	One toggle switch – box mount	1FTC	–	SWCS1	–
CIFS-9-HV	One toggle switch (347 V) – box mount	–	–	–	–
Single-gang (cast aluminum)					
CRL	Single receptacle – box mount	1FRC	–	–	–
CRS	Single receptacle – box mount	1FGC	–	–	–
Two-gang FS covers* (stamped aluminum)					
CIFS-42	Blank – two gang – box mount	2FBC	FS-2C	S1002G SA	–
CIFS-62	Two duplex receptacles – box mount	2FAC	X	S232	–
CIFS-69	One duplex receptacles, one toggle switch – box mount	2FTAC	X	S32232	–
CIFS-92	Two toggle switches – box mount	2FTC	X	S32232	–
Two-gang (cast aluminum)					
2CDR	Two duplex receptacles – device mount	2FAC	–	S232	–
2CTS	Two switch – device mount	2FTC	–	S322	–
2CTDR	One switch and one duplex receptacle – device mount	2FTAC	–	S32232	–
Weatherproof junction box kits (cast aluminum)					
CIC-8444	4 x ½	–	1/2DVXJ/C	TP7146	–
CIC-8446	4 x ¾	–	3/4DVXJ/C	TP7150	–
CIC-8448	4 x 1	–	–	–	–
Outlet box 4½ dia. (cast aluminum)					
CIC-8495	6 x ½	–	–	–	–
Weatherproof round cover – 4¾" dia. (stamped aluminum)					
CIC-93	For 4 " weatherproof round box Includes gasket and mounting screws	5653-1	XCS	TP7158	–
Outlet covers – 4¾" dia. (cast aluminum)					
S211E	Round standard lamp holder cover, grey, aluminum,	5193-0	DC100	TP7300	–
S-12	Round standard lamp holder cover, grey, aluminum	–	–	–	–
S-213E-R		5197-0	CR-3	TP7308	–
Single-gang outlet boxes – 2" deep (cast aluminum)					
S100CN	Single-gang universal standard outlet box	5320-0	D5613	TP7010	–
S100BRCN	Single-gang universal standard outlet box, bronze, aluminum	5320-2	–	TP7012	–
S100WHCN	Single-gang universal standard outlet box, white, aluminum	5320-6	–	TP7011	–
S105CN	Single-gang universal weatherproof box, grey, aluminum	5320-0	D5633	TP7018	–
B13030G	Single-gang universal weatherproof box, grey, aluminum	–	–	–	–
IH3-1-LM	Single-gang universal weatherproof box, grey, aluminum	5320-0/ 5320-9	D5613	TP7010	–

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
IH4-1-LM	Single-gang universal weatherproof box, grey, aluminum	5321-0	D5614	TP7026	-
IH4-2-LM	Single-gang universal weatherproof box, grey, aluminum	5330-0	D5634	TP7034	-
S101E	Single-gang universal standard outlet box, grey, aluminum	5321-0	D5614	TP7026	-
S102CN	Single-gang universal standard outlet box, grey, aluminum	5322-0	D5616/D5615	TP7042	-
S107CN	Single-gang universal weatherproof box, grey, aluminum	5331-0	D5635	TP7050	-
B1501SGR	Single-gang universal weatherproof box, grey, aluminum	5323-0	D5616/D5615	TP7042	-
B1502SG	Single-gang universal weatherproof box, hub, grey, aluminum	5332-0	D5635	TP7052	-
IH6S2-1	Single-gang universal weatherproof box, grey, aluminum	-	-	-	-
IH6S2-2	Single-gang universal weatherproof box, grey, aluminum	-	-	-	-
DIH3-1-LM	Single-gang universal weatherproof box, grey, aluminum	5320-0/ 5320-5	DDB23P	TP7010	-
DIH3-1-LM-WH	Single-gang universal weatherproof box, white, aluminum	5320-1/ 5320-6	-	TP7011	-
DIH3-2-LM	Single-gang universal weatherproof box, white, aluminum	5324-0	-	TP7011	-
IH3-1	Single-gang universal weatherproof box, white, aluminum	5320-1/ 5320-6	-	TP7011	-
IH4-1	Single-gang universal weatherproof box, white, aluminum	5321-1/ 5321-6	-	-	-
IH4-2	Single-gang universal weatherproof box, white, aluminum	-	-	-	-
IH5-1-LM	Single-gang universal weatherproof box, white, aluminum	5322-0	-	-	-
IH5-2-LM	Single-gang universal weatherproof box, white, aluminum	5331-0/ 5332-0	-	-	-
Single-gang outlet boxes – 2½" deep (cast aluminum)					
IHD3-1	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	5385-0	DDB23P	TP7074	-
IHD31GDC	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	5385-0	DDB23P	TP7074	-
IHD3-2	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	5386-0	DDB33P	TP7078	-
IHD3-3	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	5387-0	-	TP7082	-
IHD4-1	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	-	-	-	-
IHD4-2	Single-gang deep universal weatherproof box, 2½" deep, grey, aluminum	-	-	-	-
Two-gang outlet boxes – 2" deep (cast aluminum)					
S400CN	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5333-0	D5313	TP7086	-
S405E	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5341-0	D5333	TP7090	-
2IH3-2	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5341-0	D5333	TP7090	-
2IH4-1	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5335-0	-	TP7094	-
2IH4-2	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5343-0	-	TP7098	-
S401CN	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5337-0	D5317	TP7102	-
S402CN	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5342-0	-	TP7106	-
2IH5-1	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5337-0	-	TP7102	-
2IH5S2-1	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5334-0	-	TP7102	-

Red Dot cross reference

Cat. no.	Description	Taymac/ Hubbell/Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
2IH5S2-2	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5342-0	–	TP7106	–
2IH7-1	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5340-0	D5317	TP7110	–
2IH7-2	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5348-0	D5337	TP7114	–
2IH7S2-1	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5338-0	D5317	TP7110	–
2IH7S2-2	Two-gang universal weatherproof box, grey, aluminum, with ground screw	5346-0	D5337	TP7114	–
Two-gang outlet boxes – 2$\frac{1}{8}$" deep (cast aluminum)					
2IHD5-1	(5) $\frac{1}{2}$ " hubs	–	DDB252P/ DB252P	TP7126	–
2IHD5-2	(5) $\frac{3}{4}$ " hubs	5388-0	–	TP7130	–
2IHD5-3	(5) 1" hubs	5389-0	–	TP7134	–
Three-gang outlet boxes – 2$\frac{1}{8}$" deep (cast aluminum)					
B37D20G	7 $\frac{3}{4}$ "	5390-0	DDB373	TP7143	–
B37D30G	7 1"	–	–	TP7144	–
Single-gang extensions ring (cast aluminum)					
IHE	Single-gang universal box extension adapter, 1" deep, with gasket and screws	5406-0	DXR-1	TP7120	–
S121E-R-CN	Single-gang universal box extension adapter, 1 $\frac{3}{8}$ " deep, with gasket, screws and ground screws	–	–	TP7173	–
IHEF6S2-1	Single-gang flanged extension adapter, 1 $\frac{1}{8}$ " deep, with gasket and screws	5414-0	–	–	–
IHEF6S2-2	Single-gang flanged extension adapter, 1 $\frac{7}{8}$ " deep, with gasket and screws	5415-0	–	–	–
Two-gang extensions ring (cast aluminum)					
S450E	Two-gang universal square box extension ring, grey, aluminum, with gasket and screws	5407-0	DXR-2	TP7123	–
2IHE	Two-gang universal box extension ring, grey, aluminum, gaskets and screws include	5407-0	DXR-2	TP7123	–
Single-gang device mount covers – horizontal (zinc)					
S310BRE	For duplex receptacle – bronze	5180-2	–	TP7209	–
S310E-R	For duplex receptacle – grey	5180-0	CO1	TP7207	–
S310WHE	For duplex receptacle – white	5180-1	–	TP7208	–
CCD-L	For duplex receptacle with lock option	–	–	–	–
WR81-CN	Natural cover with stay open lid	–	–	TP7206	–
WRMB-87	Cover, motor base with device	–	–	–	–
DCCDSO	For duplex receptacle with lock option stay open – grey	–	–	–	–
S305BRE	For GFCI receptacle – bronze	5101-2	–	TP7238	–
S305E	For GFCI receptacle – grey	5101-5	GFI-H	TP7236	–
S305WHE	For GFCI receptacle – white	5101-6	–	TP7237	–
CCG	GFCI receptacle box cover	5101-0	–	TP7240	–
CCG-L	GFCI receptacle box cover with lock option	–	–	–	–
CCS	For single receptacle, horizontal	5152-0	–	TP7214	–
CCS-L	For single receptacle, horizontal with lock option	–	–	–	–
DCCG-BR	GFCI receptacle, horizontal – bronze	5101-2	–	TP7238	–
DCCG-WH	GFCI receptacle, horizontal – white	5101-1	–	TP7237	–

Red Dot cross reference

Cat. no.	Description	Taymac/ Hubbell/Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Single-gang device mount covers – vertical (zinc)					
S309BRE	For duplex receptacle – bronze	–	–	TP7209	–
S309E	For duplex receptacle – grey	5146-0	–	TP7199	–
S309WHE	For duplex receptacle – white	5146-1	–	TP7208	–
CCDV-L	For duplex receptacle with lock option	–	–	–	–
S306BRE	For GFCI receptacle – bronze	5301-2	–	TP7242	–
S306E	For GFCI receptacle – grey	5103-5	GFI-V	TP7240	–
S306WHE	For GFCI receptacle – white	5103-6	–	TP7241	–
CCGV	GFCI Receptacle Box Cover – grey	5103-0	–	TP7240	–
CCGV-L	For GFCI receptacle with lock option	–	–	–	–
CCSV	For single receptacle	5155-0	–	TP7202	–
CCSV-L	For single receptacle with lock option	–	–	–	–
Single-gang device mount cover – horizontal and vertical (zinc)					
DCCU	Flip-lid cover – for GFCI, single, duplex or switch configuration supplied with 2 adapters and 2 screws, lockable – grey	MX1050S	–	TP7214	–
DCCU-BR	Flip-lid cover – for GFCI, single, duplex or switch configuration supplied with 2 adapters and 2 screws, lockable – bronze	MX1050Z	–	–	–
DCCU-WH	Flip-lid cover - for GFCI, single, duplex or switch configuration supplied with 2 adapters and 2 screws, lockable – white	MX1050W	–	–	–
Single-gang device mount covers					
S340E-R	Blank cover (painted steel) – grey	5173-0	FS-C	TP7292	–
S340BRE-R-CN	Blank cover (painted steel) – bronze	5173-2/ 5173-7	–	TP7294	–
S340WHE-R-CN	Blank cover (painted steel) – white	5173-6/ 5173-1	–	TP7293	–
Single-gang device mount covers (zinc)					
CCMB	Motor base cover with 15 A, 125 V plug	5153-0	–	–	–
CCPO	Power outlet cover for 30 A and 50 A receptacles box mount	–	–	TP7218	–
CCPO-L	Power outlet cover for 30 A and 50 A receptacles box mount with lock option	–	–	–	–
S321E	For switch packed with spacers	–	–	TP7256	–
CCT	Switch receptacle cover	–	–	TP7256	–
CCT-1	Switch cover with single pole switch 15 A, 125 V AC	5121-0	–	TP7260	–
CCT-1-20	Switch cover with single pole 20A switch, 120 V, 277 V AC	5128-0	–	–	–
SW1	Switch box cover with lever switch. Single pole. 10 A 125 V	–	–	–	–
SW20-2	Switch cover with double pole 20 A switch, 120 V, 277 V AC (all with spacers and screws)	–	–	–	–
Lampholder rectangular covers (zinc)					
S201E	One ½" tapped hole, grey	5186-0	–	TP7312	–
S201BRE	One ½" tapped hole, bronze	5186-2	–	TP7314	–
S201WHE	One ½" tapped hole, white	5186-1	–	TP7313	–
LC-21	Two ½" tapped holes, grey	–	–	TP7316	–
S203E-R	Three ½" tapped holes, grey	5189-0	R14-3	TP7320	–
S203BRE	Three ½" tapped holes, bronze	5189-2	R14-3-R	TP7322	–
S203WHE	Three ½" tapped holes, white	5189-1	R14-3-W	TP7321	–

Red Dot cross reference

Cat. no.	Description	Taymac/ Hubbell/Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Two-gang device mount covers (zinc)					
S410E	For two duplex receptacles	5148-0	-	TP7222	-
2CCD	2-duplex receptacle box cover	5148-0	-	TP7228	-
2CCD-L	For two duplex receptacles with lock option (lock not included)	-	-	-	-
2CCS	For two single receptacles	5157-0	-	TP7220	-
2CCSD	For single and duplex receptacles	5160-0	-	7224	-
2CCSG	For single and GFCI receptacles	-	-	TP7244	-
WR74-81C	Cover, self-closing lids for single GFCI	5040-0	-	TP7244	-
2CCT	Switch receptacle cover	5125-0	-	TP7268	-
2CCT-1	Switch cover with two single pole switches 15 A, 125 V AC	5124-0	-	TP7272	-
2CCTD	Switch and one duplex receptacle cover	-	-	-	-
2CCTD-1	Switch and one duplex receptacle cover 15 A, 125 V	5166-0	-	-	-
2CCDG	One duplex and one GFCI receptacle	5133-0	-	TP7248	-
2CCG	GFCI receptacle box cover-horizontal	5145-0	-	TP7252	-
WR281-CBR	Bronze cover self-closing lids	-	-	-	-
WR281-C-WH	White cover self-closing lids	-	-	-	-
R104	Two-gang gasket	5020-0	-	GASK434	-
Two- and three-gang device mount covers (zinc)					
S413E	For two GFCI receptacles	5145-0	-	TP7252	-
2CCTG	For switch and GFCI receptacle with spacers	5167-0	-	-	-
Two- and three-gang device mount covers (stamped aluminum)					
S440E-R	Blank cover, two gang (stamped aluminum) – grey	5175-0	FS-2C	TP7296	-
SP411-GWH	Blank cover, two gang (stamped aluminum) – white	5175-1	-	TP7297	-
3CCB	Blank cover, three gang	5177-0	-	-	-
Two-gang covers (zinc)					
2CCU	Flip-lid cover for GFCI, duplex or single switch configurations supplied with 4 adapters and 4 screws lockable (lock not included)	MX2050S	-	TP7252	-
2CCU-BR	Flip-lid cover for GFCI, duplex or single switch configurations supplied with 4 adapters and 4 screws lockable (lock not included)	MX2050Z	-	-	-
2CCU-WH	Flip-lid cover for GFCI, duplex or single switch configurations supplied with 4 adapters and 4 screws lockable (lock not included)	MX2050WH	-	-	-
Outlet boxes – 4¹/₈" dia. (cast aluminum)					
S110CN	Round outlet box, 17 cu. in., grey, aluminum, with ground screws	5361-0	1/2DVXJ/LC	TP7146	-
S110BRCN	Single-gang universal standard outlet box, 17.3 cu. in., bronze, aluminum, with ground screws	5361-2	-	TP7149	-
S110WHCN	Single-gang universal standard outlet box, 17.3 cu. in., white, aluminum, with ground screws	5361-1	-	TP7148	-
DS-47-BR	Round outlet box, 17 cu. in., bronze, aluminum	5361-2	-	-	-
DS-47-WH	Round outlet box, 17 cu. in., white, aluminum	5361-1	-	-	-
S-48	Round outlet box, 16 cu. in., grey, aluminum	5372-0	3/4DVXJ/LC	TP7158	-
S-47	Round outlet box, 17 cu. in., grey, aluminum	5361-0	1/2DVXJ/LC	-	-
Outlet box extension – 4¹/₈" dia. (cast aluminum)					
SE-48	Round extension ring, grey, aluminum, gaskets and screws	-	-	TP7152	-
S130E-CN	Round extension adapter, grey, aluminum, with ground screws	5363-0	-	TP7152	-

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Outlet box kits – 4 1/8" dia. (cast aluminum)					
DS-47B	Round outlet box, grey, aluminum, blank cover	–	1/2DVXJC/C - DC100	TP7147	–
S47CFB	Ceiling fan outlet box, grey, aluminum	–	1/2DVXJC/C	–	–
DS-48B	Round outlet box, grey, aluminum, blank cover	5372-0	3/4DVXJC/C -DC100	TP7151	–
Spike light (zinc)					
SPK6-P-GR	Green	–	HRG-ST	–	–
SPK6-P-BK	Black	–	HRB-ST	–	–
SPK6-P-BR	Bronze	SL101B	–	–	–
Economy style – internal gasket (zinc)					
S500BREG-CN	Bronze	5606-2	LFP38-A	TP7165	–
S500EG-CN	Grey	5606-0	–	TP7163	–
S500WHEG-CN	White	5606-1	LFP38-W	TP7164	–
Deep-shielded style – internal gasket (zinc)					
L-800	Grey	5613-0	–	TP7178	–
Double economy style lampholder with round cover (zinc)					
S513EG-CN	Grey	5625-0	HR-2	TP7330	–
S513BREG-CN	Bronze	5625-2	HRR-2	TP7332	–
S513WHEG-CN	White	5625-6	HRW-2	TP7331	–
Contemporary lampholder kits					
B228E-R	Grey	5876-5	R201	–	–
B228BRE-R	Bronze	5876-7	R201R	–	–
B228WHE-R	White	5876-6	R201W	–	–
Ceiling mount (5 holes)					
MCL150C	1	–	VX1F	TP7800	–
Wallmount (5 holes)					
MCL150W	1	–	VXBR1F	TP7820	–
Traditional 2-lamp round box kits					
S212G-CN	Grey	5876-5	R201	TP7330	–
S212BRG-CN	Bronze	5876-7	R201R	TP7332	–
Duplex weatherproof outlet device kits					
S312E-CN		5839-5	–	–	–
S312BRE-CN		5839-7	–	–	–
S312WHE-CN		5839-6	–	–	–
GFCI weatherproof outlet device kit					
S315E-CN		5874-5	–	–	–
S315BRE-CN		–	–	–	–
S315WHE-CN		5874-6	–	–	–
GFCI weatherproof outlet device kit					
S355E-CN		5874-5	–	–	–
S355P-CN		–	–	–	–
Nonmetallic deck grommet					
DKG-CA		–	–	–	–

Red Dot cross reference

Cat. no.	Description	Taymac/ Hubbell/Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Weatherproof accessories – gaskets, plugs					
CCK		5019-0	–	–	–
R104		5020-0	–	–	–
S621E		5017-0	–	–	–
PLG-1-RD		5269-0	–	TP7940	–
PLG-2-RD		5270-0	–	TP7944	–
PLG-3-RD		5171-0	–	–	–
S603E-R		5269-5	–	TP7940	–
S603BRE-R		5269-7	–	TP7942	–
S603WHE-R		5269-6	–	–	–
Outlet covers – 4¹/₈" dia. (cast aluminum)					
S341E-R	Round blank weatherproof box cover, colour grey	–	XCS	TP7158	–
SS-B	Round blank weatherproof cover, grey, aluminum, with gasket and screws	–	XCS	TP7158	–
S211E	Round standard lamp holder cover, grey, aluminum,	5193-0	DC100	TP7300	–
S211BRE	Round standard lamp holder cover, bronze, aluminium	5193-2	DC100-R	TP7302	–
S211WHE	Round standard lamp holder cover, white, aluminium	5193-1	DC100-W	TP7301	–
S-12	Round standard lamp holder cover, grey, aluminum	5193-5	–	–	–
S213E-R	Round standard lamp holder cover, grey, aluminum, with gasket, screws and plugs	5197-0	DC103	TP7308	–
S213BRE	Round standard lamp holder cover, bronze, aluminum, with gasket, screws and plugs	5197-2	DC103-R	TP7310	–
S213WHE	Round standard lamp holder cover, white, aluminum, with gasket, screws and plugs	5197-1	DC103-W	TP7309	–
Type FSE nonmetallic					
FSEB-050	For dead-end terminations	–	–	–	–
FSEB-075		–	–	–	–
FSEB-100		–	–	–	–
Type FSS nonmetallic					
FSSB-050	For multiple dead-end circuit terminations or where additional support is required in stub-up applications	X	–	–	–
FSSB-075		X	–	–	–
FSSB-100		X	–	–	–
Type FSC nonmetallic					
FSCB-050	For through terminations	PBSB37550GY	–	–	–
FSCB-075		PBSB37550GY	–	–	–
FSCB-100		X	–	–	–
Type FSCC nonmetallic					
C979EFN		X	–	–	–
C979FFN		X	–	–	–
FSCB-050	For terminations where hub requirements vary according to application – hubs easily made with flared wood bit or hole saw	X	–	6080	–

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Type FDC nonmetallic					
C9811EN	For terminations where hub requirements vary according to application – hubs easily made with flared wood bit or hole saw	X	–	–	–
C9811FN		X	–	–	–
Type FDE nonmetallic					
C9801DN	For dead-end terminations where large devices or additional wiring capacity is required	X	–	–	–
C9801EN	For dead-end terminations where large devices or additional wiring capacity is required	X	–	–	–
Type 2FSC nonmetallic					
FSCB2-050	For through terminations where two devices or additional wiring capacity is required	X	–	–	–
FSCB2-075		X	–	–	–
FSCB2-100		X	–	–	–
Type 2FSE nonmetallic					
FSEB2-50	For dead-end terminations where two devices or additional wiring capacity is required	X	–	–	–
FSEB2-75		X	–	–	–
FSEB2-100		X	–	–	–
Type FS nonmetallic					
CE9802	For terminations where hub requirements vary according to application - hubs easily made with flared wood bit or hole saw	X	–	–	–
Single-gang vertical covers (nonmetallic)					
WPCV-15A-G	For 15 A or other single receptacles under 1.375" dia.	X	–	–	–
WPCV-20A-G	For 20 A or other single receptacles under 1.625" dia.	X	–	–	–
E98G30N-CAR	For 30 A or other single receptacles under 1.750" dia.	X	–	–	–
Single-gang vertical covers (nonmetallic)					
WPCV-SSW-G	Single switch	X	–	–	–
WPCV-DUP-V-G	Duplex receptacle	X	–	–	–
WPCV-GFI-V-G	GFCI receptacle – device opening dimensions: 2 ⁵ / ₁₆ H x 1 ⁵ / ₁₆ W	X	–	S2966	–
Single-gang vertical covers (nonmetallic)					
WPCV-TOG-G	Toggle switch	PTC100GY	–	S2983	–
WPCV-BLK-G	Supplied with stainless steel mounting screws and gasket	PBC100GY	–	–	–
WPCV-BLK-W	Supplied with stainless steel mounting screws and gasket	PBC100WH	–	–	–
Single-gang horizontal covers (nonmetallic)					
WPCV-DUP-H-G	Duplex receptacle	–	–	–	–
WPCV-GFI-H-G	GFCI horizontal	–	–	–	–
Two-gang covers (nonmetallic)					
WPCV2-DUP-G	Double duplex	–	–	–	–
WPCV2-TOG-G	Double toggle	PTC200GY	–	–	–
WPCV2-BLK-G	Supplied with stainless steel mounting screws and gasket	PBC200GY	–	–	–
WPCV2-GFISWG	Combination toggle/GFCI	PTC521GY	–	–	–
WPCV2-DUPSWG	Combination toggle/duplex receptacle	–	–	–	–

Red Dot cross reference

Cat. no.	Description	Taymac/Hubbell/ Bell catalog number	RAB	EATON Crouse- Hinds Cooper Industries	Intermatic
Lampholder with round covers – internal gasket (nonmetallic)					
WPRB-T050-G	Grey	PRB57550GY	–	–	–
WPRB-T050-W	White	PRB57550WH	–	–	–